

Product sheet Haga

Patio Doors Outwards Opening

LUD1003, Outward Opening Patio Door Triple Glazing

Frame thickness:	100 mm
Sound reduction:	33 - 37 dB
U-value:	1,3 - 1,5 W/m ² K

Product images

Original configuration



NLUD1003H



NLUD1003H

Multi-light windows and accessories



NLUD1003H



NLUD1003H

Product sheet Haga

Patio Doors Outwards Opening

LUD1003, Outward Opening Patio Door Triple Glazing



NLUD1003H



NLUD1003H



Fanlight



Sidelights



Close-up on the threshold

References

Product sheet Haga

Patio Doors Outwards Opening

LUD1003, Outward Opening Patio Door Triple Glazing



Project name Bondegatan 7
Client Rosén & Johansson Byggnads AB
Location/town Mariannelund
Window model Haga



Project name Brf. Allén Hus 1-3
Client Peab Sverige AB
Location/town Malmö
Window model Haga



Project name Högalunds Förskola
Client Lars Lundqvist Bygg AB
Location/town Tenhult
Window model Haga



Project name Junibäckens Förskola
Client Peab Sverige AB
Location/town Malmö
Window model Haga



Project name Kv. Löparen 1
Client Invectus Bygg & Förvaltning AB
Location/town Kristianstad
Window model Haga



Project name Uppsalahus 11
Client Fönsterspecialisten CG AB
Location/town Uppsala
Window model Haga