Product sheet Haga

Combination Frames


Combination Windows, 2+1 and Triple Glazing

Frame thickness:	100 mm
Sound reduction:	33 - 44 dB
U-value:	1,0 - 1,3 W/m²K


All our openable windows, side-hung and tilt/turn, can be combined with fixed lights in the same frame. The fixed light is glazed internally.

Product images

Original configuration



LFI1003



LFI1003



LFI1003



LFI1003

MAIN OFFICE
Fagersjögatan 3, S-598 97 Mariannelund
Phone +46 496-707 00
Fax +46 496-211 60
E-mail address: info@leiab.se

Product sheet Haga

Combination Frames

Combination Windows, 2+1 and Triple Glazing

Alternative profiles



LIF1001



Outer sash
Different outer sash possibilities



Inner sash
Different inner sash possibilities

Multi-light windows and accessories



LFI1003-LIF1001



LFI1003-LIF1001

MAIN OFFICE
Fagersjögatan 3, S-598 97 Mariannelund
Phone +46 496-707 00
Fax +46 496-211 60
E-mail address: info@leiab.se

Product sheet Haga

Combination Frames

Combination Windows, 2+1 and Triple Glazing



LFI1003-LIF1001



LFI1003-LIF1001



LFI1003-LIF1001



LFI1003-LIF1001





MAIN OFFICE
Fagersjögatan 3, S-598 97 Mariannelund
Phone +46 496-707 00
Fax +46 496-211 60
E-mail address: info@leiab.se

Product sheet Haga

Combination Frames

Combination Windows, 2+1 and Triple Glazing



References



Project name	BB Sophiahemmet Hus 30
Client	Ebab i Stockholm AB
Location/town	Stockholm
Window model	Haga



Project name	KV. Gubben 8
Client	HSB Östra
Location/town	Norrköping
Window model	Haga



Project name	KV. Våghalsen 6
Client	Tegelstaden Bygg AB
Location/town	Eskilstuna
Window model	Haga

MAIN OFFICE
Fagersjögatan 3, S-598 97 Mariannelund
Phone +46 496-707 00
Fax +46 496-211 60
E-mail address: info@leiab.se

LEIAB FÖNSTER