

Product sheet Royal


Side-hung Windows

LIF1281, Inward Opening Window 2+1 Glazing

Frame thickness:	128 mm
Sound reduction:	40 - 50 dB
U-value:	0,9 - 1,2 W/m ² K


Product images

Original configuration



LIF1281

LIF1281 Royal inward opening window 2+1 glazing



LIF1281

LIF1281 Royal inward opening window 2+1 glazing



LIF1281

LIF1281 Royal inward opening window 2+1 glazing



LIF1281

Product sheet Royal

Side-hung Windows

LIF1281, Inward Opening Window 2+1 Glazing



Window sill

Window sill has to be located in the furthest channel.

Alternative profiles




LIF1281

LIF1281 Royal inward opening window 2+1 glazing. Visible weep holes



LIF1281

LIF1281 Royal inward opening window 2+1 glazing. Visible weep holes



Outer sash

Different outer sashes possible



Inner sash

Different inner sashes possible

Product sheet Royal

Side-hung Windows

LIF1281, Inward Opening Window 2+1 Glazing

Multi-light windows and accessories




LIF1281



LIF1281



LIF1281



LIF1281



LIF1281



LIF1281

MAIN OFFICE

Fagersjögatan 3, S-598 97 Mariannelund

Phone +46 496-707 00

Fax +46 496-211 60

E-mail address: info@leiab.se

Product sheet Royal

Side-hung Windows

LIF1281, Inward Opening Window 2+1 Glazing




LIF1281



LIF1281



LIF1281



Product sheet Royal


Side-hung Windows

LIF1281, Inward Opening Window 2+1 Glazing

Royal function and design



LIF1281



LIF1281

References



Project name Campus
Client Projektfönster
Location/town Solna
Window model Royal



Project name Sannaskolan
Client Smålandssnickerier AB
Location/town Göteborg
Window model Royal