

Product sheet Royal


Fixed Lights

LFI1283, Fixed Light Triple Glazing, Internally Glazed


Frame thickness:	128 mm
Sound reduction:	32 - 46 dB
U-value:	1,0 - 1,3 W/m ² K

Product images

Original configuration



LFI1283
LFI1283 Royal fixed light triple glazing



LFI1283
LFI1283 Royal fixed light triple glazing



LFI1283
LFI1283 Royal fixed light triple glazing




LFI1283

Product sheet Royal

Fixed Lights


LFI1283, Fixed Light Triple Glazing, Internally Glazed



Window sill

Window sill has to be located in the furthest channel.

Alternative profiles



LFI1283

LFI1283 Royal fixed light triple glazing. Visible weep holes



LFI1283

LFI1283 Royal fixed light triple glazing. Visible weep holes

Multi-light windows and accessories



LFI1283

LFI1283 Two light window



LFI1283

LFI1283 Two light window

MAIN OFFICE

Fagersjögatan 3, S-598 97 Mariannelund

Phone +46 496-707 00

Fax +46 496-211 60

E-mail address: info@leiab.se

Product sheet Royal

Fixed Lights

LFI1283, Fixed Light Triple Glazing, Internally Glazed




LFI1283
LFI1283 Three light window



LFI1283
LFI1283 Three light window

Royal function and design



LFI1283



LFI1283

References



Project name Kv Hjälmarén 12



Project name Material Store

MAIN OFFICE
Fagersjögatan 3, S-598 97 Mariannelund
Phone +46 496-707 00
Fax +46 496-211 60
E-mail address: info@leiab.se

Page 3 of 4

Product sheet Royal

Fixed Lights

LFI1283, Fixed Light Triple Glazing, Internally Glazed

Client Malmö Nya Bygg AB
Location/town Malmö
Window model Royal



Project name Royal Wharf - Townhouses
Client Ballymore Group
Location/town London
Window model Royal

Client Invest Mag Ltd.
Location/town London
Window model Royal



Project name Sannaskolan
Client Smålandssnickerier AB
Location/town Göteborg
Window model Royal