

Product sheet Accessories

Fittings

OBV window restrictor

- The OBV window restrictor restricts the opening distance in the turn position to approx 50 mm if mounted on the lock side, when mounted horizontally variable opening distances can be achieved.
- The OBV locking bar can be released for full operation of the sash by keeping the push button depressed.
- Automatic locking; when the window is closed from the turn position the limit opening function re-engages.
- Prevents windows from slamming shut.

Product images

Original configuration



Closed position
Closed position



Closed position
Closed position



Automatic locking
Automatic locking. The OBV locking bar can be released for full operation of the sash by keeping the push button depressed.



Automatic locking
Automatic locking. The OBV locking bar can be released for full operation of the sash by keeping the push button depressed.

Product sheet Accessories

Fittings

OBV window restrictor



Automatic locking

Automatic locking. The OBV locking bar can be released for full operation of the sash by keeping the push button depressed.



Opening position

Opening position. The OBV locking bar can be released for full operation of the sash by keeping the push button depressed.



Automatic locking

Automatic locking. Works as well with the tilt and turn. The OBV locking bar can be released for full operation of the sash by keeping the push button depressed.

Alternative profiles



Parallel opening with restrictor

Parallel opening with restrictor



Parallel opening with restrictor

Parallel opening with restrictor

Product sheet Accessories

Fittings

OBV window restrictor



Parallel opening with restrictor
Parallel opening with restrictor



Parallel opening with restrictor
Parallel opening with restrictor



Parallel opening with restrictor
Parallel opening with restrictor

References