

Product sheet Stil

Patio Doors Outwards Opening

LUD953, Outward Opening Patio Door Triple Glazing

Frame thickness:	95 mm
Sound reduction:	33 - 37 dB
U-value:	1,2 - 1,4 W/m ² K

Product images

Original configuration



NLUD953



NLUD953

Multi-light windows and accessories



Product sheet Stil

Patio Doors Outwards Opening

LUD953, Outward Opening Patio Door Triple Glazing



Fanlight
NLUD953



Sidelight
NLUD953



Close-up on the threshold
NLUD953

References

Product sheet Stil

Patio Doors Outwards Opening

LUD953, Outward Opening Patio Door Triple Glazing



Project name Ekgården Etapp 3-4
Client Moelven ByggModul AB
Location/town Södertälje
Window model Stil



Project name Haggerston
Client OCL Facades Ltd.
Location/town London
Window model Stil



Project name Limhamn Sporthall
Client Byggmästar´n i Skåne AB
Location/town Malmö
Window model Stil



Project name Nyponlunden
Client Peab Sverige AB
Location/town Örebro
Window model Stil



Project name Temple Quay 125/H600S
Client Barrat Bristol Barrat House
Location/town Bristol
Window model Stil



Project name Westgate Centre
Client Allenbuild Ltd.
Location/town London
Window model Stil