

# Product sheet Stil

## Patio Doors Inwards Opening

LID953, Inward Opening Patio Door Triple Glazing

|                  |                              |
|------------------|------------------------------|
| Frame thickness: | 95 mm                        |
| Sound reduction: | 34 - 38 dB                   |
| U-value:         | 1,0 - 1,3 W/m <sup>2</sup> K |

## Product images

### Original configuration



LID953



LID953

### Alternative profiles



LID953




LID953

# Product sheet Stil

## Patio Doors Inwards Opening

LID953, Inward Opening Patio Door Triple Glazing

### Multi-light windows and accessories



**Fanlight**  
LID953

# Product sheet Stil

## Patio Doors Inwards Opening

LID953, Inward Opening Patio Door Triple Glazing



Sidelight  
LID953



Close-up on the threshold  
LID953

## References



**Project name** First Hotel (Saturnus 27)  
**Client** Skanska Sverige AB  
**Location/town** Lund  
**Window model** Stil



**Project name** Kronolotsen Etapp 2  
**Client** Sundprojekt AB  
**Location/town** Malmö  
**Window model** Stil



**Project name** Westgate Centre  
**Client** Allenbuild Ltd.  
**Location/town** London

**MAIN OFFICE**  
Fagersjögatan 3, S-598 97 Mariannelund  
Phone +46 496-707 00  
Fax +46 496-211 60  
E-mail address: info@leiab.se

Page 3 of 4

# Product sheet Stil

## Patio Doors Inwards Opening

LID953, Inward Opening Patio Door Triple Glazing

Window model Stil