

Product sheet Haga

Patio Doors Outwards Opening

LUD1001, Outward Opening Patio Door 2+1 Glazing

Frame thickness:	100 mm
Sound reduction:	38 - 42 dB
U-value:	1,0 - 1,2 W/m ² K

Product images

Original configuration



NLUD1001HYE



NLUD1001HYE

Multi-light windows and accessories



NLUD1001HYE



NLUD1001HYE

Product sheet Haga

Patio Doors Outwards Opening

LUD1001, Outward Opening Patio Door 2+1 Glazing



NLUD1001HYE



NLUD1001HYE



Fanlight



Sidelights



Close-up on the threshold



LUD1001HYE

Product sheet Haga

Patio Doors Outwards Opening

LUD1001, Outward Opening Patio Door 2+1 Glazing



LUD1001HYE

References



Project name Brf. Sandåkern - HSB
Client Peab Sverige AB
Location/town Umeå
Window model Haga



Project name BRF. Söderport
Client XL-Bygg Norrby Trä
Location/town Borås
Window model Haga



Project name Draken 12
Client MVB Syd AB
Location/town Malmö
Window model Haga



Project name Kaffestugan
Client Ikano Bostad
Location/town Sundbyberg
Window model Haga

Product sheet Haga

Patio Doors Outwards Opening

LUD1001, Outward Opening Patio Door 2+1 Glazing



Project name KV Örbyhus - Teatergatan
Client Kungälv Trävaru AB
Location/town Göteborg
Window model Haga



Project name KV. Gubben 8
Client HSB Östra
Location/town Norrköping
Window model Haga



Project name Porslinsfabriken 2C
Client Peab Sverige AB
Location/town Göteborg
Window model Haga



Project name Rosen 7
Client Peab Sverige AB
Location/town Umeå
Window model Haga



Project name Rovän 4
Client Peab Bostad AB
Location/town Solna
Window model Haga