

# Product sheet Epok


## Patio Doors Outwards Opening

LUD1271, Outward Opening Patio Door 2+1 Glazing


Frame thickness:	127 mm
Sound reduction:	38 - 42 dB
U-value:	1,0 - 1,2 W/m <sup>2</sup> K

## Product images

### Original configuration



NLUD1271H



NLUD1271H

### Multi-light windows and accessories



NLUD1271H



NLUD1271H

# Product sheet Epok

## Patio Doors Outwards Opening

LUD1271, Outward Opening Patio Door 2+1 Glazing



NLUD1271H



NLUD1271H



Fanlight



Sidelight



NLUD1271H with threshold



Close-up on the threshold

# Product sheet Epok

## Patio Doors Outwards Opening

LUD1271, Outward Opening Patio Door 2+1 Glazing

### References



**Project name** Aschebergsgatan 15  
**Client** Johns Bygg & Fasad AB  
**Location/town** Göteborg  
**Window model** Epok



**Project name** Aschebergsgatan 27  
**Client** Fiskebäcks Byggnads AB  
**Location/town** Göteborg  
**Window model** Epok



**Project name** Brf. Gärdet  
**Client** Valbo Fönsterteknik AB  
**Location/town** Uppsala  
**Window model** Epok



**Project name** Brf. Kraken  
**Client** A Fönsterbyte AB  
**Location/town** Uppsala  
**Window model** Epok



**Project name** Brotorp  
**Client** Domlux Fönster  
**Location/town** Sundbyberg  
**Window model** Epok



**Project name** Sjöboden  
**Client** Mockfjärds Fönsterentreprenad AB  
**Location/town** Sundbyberg  
**Window model** Epok

# Product sheet Epok

## Patio Doors Outwards Opening

LUD1271, Outward Opening Patio Door 2+1 Glazing